# SAMOS

CODING
- 522044

ISO 9001:2015
Reg. No. 660435-1-MY-1-QMS

nuhoom.com

Read the instructions carefully. Remove all the wrappings , staples and straps from the carton. Refer to the hardware and furniture part list for guidance. Make sure that you have all the parts before you start assembling. Place all the wooden furniture parts on a clean, flat and soft surface, such as a carpet or rubbermat to prevent scratches.

CAUTION
KEEP ALL THE PARTS OUT OF CHILDREN'S REACH.

PART LIST		QTY
1	TOP PANEL	1 PC
2	BOTTOM PANEL	1 PC
3	SIDE PANEL (L)	1 PC
4	SIDE PANEL (R)	1 PC
5	CENTER PANEL	1 PC
6	MIDDLE PANEL (L)	1 PC
7	MIDDLE PANEL (R)	1 PC
8	BACK PANEL	2 PCS
9	SHELF PANEL	4 PCS

HARDWARE

A	MINI FIX A1 A2 A3	14 PCS
B	M8 X 30MM WOOD DOWEL	20 PCS
C	M6 X 5OMM CSK CAP WOOD SCREW	6 PCS
D	M3.5 X 16MM C.B SCREW	16 PCS
E	METAL LEG 90 x 90 x 8 x H145MM	4 PCS
F	METAL SHELF SUPPORT	16 PCS
G	5/8 NAIL	38 PCS
H	ALLEN KEY M4	1 PC
I	TIPPING PACK WITHOUT A1 I1 I3 I2 I4 I5	2 SETS

| **SELF-PREPARED TOOLS:** Tools below are NOT included in package.	
SCREWDRIVER	HAMMER
POWER DRILL	

SAMOS

CODING
- 522044

ISO 9001:2015
Reg. No. 660435-1-MY-1-QMS

nuhoom.com

STEP 1

Insert hardware **A2** onto panel **(1)**.
(Repeat 6 times.)

SCREWDRIVER REQUIRED

STEP 2

- Insert hardware **A1** onto panel **(3)**. (Repeat 2 times.)
- Insert hardware **A2** onto panel **(3)**. (Repeat 2 times.)
- Insert hardware **B** onto panel **(3)**. (Repeat 4 times.)

SCREWDRIVER REQUIRED

STEP 3

- Insert hardware **A1** onto panel **(4)**. (Repeat 2 times.)
- Insert hardware **A2** onto panel **(4)**. (Repeat 2 times.)
- Insert hardware **B** onto panel **(4)**. (Repeat 4 times.)

SCREWDRIVER REQUIRED

STEP 4

- Insert hardware **A1** onto panel **(5)**. (Repeat 2 times.)
- Insert hardware **A2** onto both side of panel **(5)**. (Repeat 4 times.)
- Insert hardware **B** onto panel **(5)**. (Repeat 4 times.)

SCREWDRIVER REQUIRED

STEP 5

- Insert hardware **A1** onto panel **(6)** and **(7)**. (Repeat 8 times.)
- Insert hardware **B** onto panel **(6)** and **(7)**. (Repeat 8 times.)

STEP 6

- Connect **A2** from panel **(5)** into **A1** in panel **(6)** and **(7)**.
- Rotate all **A1** until tight.
- Apply **A3** onto all **A1**.
  (Repeat 4 times.)

SCREWDRIVER REQUIRED

OR

HARDWARE H

SAMOS

CODING
- 522044

ISO 9001:2015
Reg. No. 660435-1-MY-1-QMS

nuhoom.com

STEP 7
- Connect **A2** from panel **(3)** and **(4)** into **A1** in panel **(6)** and **(7)**.
- Rotate all **A1** until tight.
- Apply **A3** onto all **A1**.
  (Repeat 4 times.)

SCREWDRIVER REQUIRED
OR
HARDWARE H

x4 ROTATE   x4 PRESS

STEP 8
- Connect **A2** from panel **(1)** into **A1** in panel **(3)**, **(4)** and **(5)**.
- Rotate all **A1** until tight.
- Apply **A3** onto all **A1**.
  (Repeat 6 times.)

SCREWDRIVER REQUIRED
OR
HARDWARE H

x6 ROTATE   x6 PRESS

STEP 9
Connect panel **(2)** to panel **(3)**, **(4)** and **(5)** by using hardware **C** and **H**.
(Repeat 6 times.)

C x6 ROTATE   H

STEP 10
Assemble hardware **E** onto panel **(2)**
by using hardware **D**.
(Repeat 4 times for each hardware.)

SCREWDRIVER REQUIRED

E D x16 ROTATE

STEP 11
Hit hardware **G** into back of panel **(8)**.
(Repeat 38 times.)

HAMMER REQUIRED

x38 G HIT

STEP 12
- Fix hardware **F** into panel **(3)**, **(4)** and **(5)**.
  (Repeat 16 times.)
- Assemble the panel **(9)** into
  between panel **(3)**, **(4)** and **(5)**.
  (Repeat 4 times.)

F x16 PRESS

*Hardware **F** can fix to another up and down hole on panel **(3)**, **(4)** and **(5)** for adjust the panel **(9)** to high or lower.

SAMOS

CODING
- 522044

ISO 9001:2015
Reg. No. 000435-1-MY-1-QMS

---

nuhoom.com

STEP 13
Assemble hardware **I1** into panel **(1)** and **(8)** by using hardware **I2**.
(Repeat 2 times.)

SCREWDRIVER REQUIRED

STEP 14
- Mark and use the power drill to drill a hole on the wall.
- Hit hardware **I3** into the wall.
  (Repeat 2 times.)

POWER DRILL REQUIRED   **HAMMER REQUIRED**

STEP 15
- Assemble hardware **I1** to **I3** by using hardware **I4**.
  (Repeat 2 times.)

SCREWDRIVER REQUIRED

STEP 16
- Connect both of the hardware **I1** by using hardware **I5**.
- Tighten the hardware **I5**.
  (Repeat 2 times.)